

1.

2.

3.

		Qnet. ar	(Vdaf)	St. d	Na ₂ O	M	DT
50mm		5000kcal kg	18% 40%	2.5 %	2.0 %	8%	1350
		4700kcal kg	15% 42%	4.0 %	2.0 %	---	---

1.

3

3000

0.02 / .

2

2024 9 14 10

< 1

10

1

2

15

8

3000

2

15

8

5000

20 /

8000

0.02 / .

3.

13 %

4.

10

2304343109122102320

5.

3

6.

10

7.

10

8.

90% 110%

1000

1000

90%

110%


0.002 / .

0.002 / .

9.

0.02 / .

10.



et. 5000
St. d
2.5%
18%
40%
Na₂O
2.0%
0. xxx /

1. 5000 Qnet. ar 47 Kcal / 0.002 /
2. Qnet. ar <4700 Kcal / Qnet. ar 0.005 /
40%<Vdaf 42% Vdaf 1 Vdaf
42% 0.002 /
0.005 /
8000 < 12000 0.02
8000 /
>12000 12000 0.03 /
1. 2.0%<Na₂O 3.5% 0.1
2. 3.5%<Na₂O 4.5% 0.1
3. Na₂O>4.5% 0.1 20 0.1

024

ë Ä
90-110%
80%
<90% -0.002
/ 70%
<80% 60%
-0.004 /
<70%
-0.006 /
50%
<60% -0.008
/ 40%
<50%
-0.010 /
' 0 J